



Place of Use  
and Point of  
Diversion  
*Instream Flow*  
*FIIP Sites*  
**76L**  
**30052776**  
**Exhibit 1**




Flathead Indian Reservation

**Legend**

-  Place of Use
-  Primary Point(s) of Diversion
-  Reservation Boundary



POU/POD Data Source: CSKT-MT Compact Instream Flow FIIP Divisions (available at [nris.mt.gov](http://nris.mt.gov))  
 Imagery Source: "Montana 2009 Color NAIP Orthophotos, 12-Kilometer Tiles" courtesy of USDA-Farm Services Agency, Aerial Photography Field Office and the Montana State Library.  
 Hillshade created from: "National Elevation Dataset" courtesy of U.S. Geological Survey (USGS), EROS Data Center (1-arc second)




Place of Use  
and Point of  
Diversion  
*Instream Flow*  
*FIIP Sites*  
**76L**  
**30052777**  
**Exhibit 1**




Flathead Indian Reservation

**Legend**

-  Place of Use
-  Primary Point(s) of Diversion
-  Reservation Boundary



POU/POD Data Source: CSKT-MT Compact Instream Flow FIIP Diversions (available at nris.mt.gov)  
Imagery Source: "Montana 2009 Color NAIP Orthophotos, 12-Kilometer Tiles" courtesy of USDA-Farm Services Agency, Aerial Photography Field Office and the Montana State Library.  
Hillshade created from: "National Elevation Dataset" courtesy of U.S. Geological Survey (USGS), EROS Data Center (1-arc second)




Place of Use  
and Point of  
Diversion  
*Instream Flow*  
*FIIP Sites*  
**76L**  
**30052778**  
**Exhibit 1**



Flathead Indian Reservation

**Legend**


- Place of Use
- ⊙ Primary Point(s) of Diversion
- Reservation Boundary



POU/POD Data Source: CSKT-MT Compact Instream Flow FIIP Diversions (available at [nris.mt.gov](http://nris.mt.gov))  
 Imagery Source: "Montana 2009 Color NAIP Orthophotos, 12-Kilometer Tiles" courtesy of USDA-Farm Services Agency, Aerial Photography Field Office and the Montana State Library.  
 Hillshade created from: "National Elevation Dataset" courtesy of U.S. Geological Survey (USGS), EROS Data Center (1-arc second)




Place of Use  
and Point of  
Diversion  
*Instream Flow*  
*FIIP Sites*  
**76L**  
**30052779**  
**Exhibit 1**




Flathead Indian Reservation

**Legend**

- █ Place of Use
- ⊙ Primary Point(s) of Diversion
- Reservation Boundary



POU/POD Data Source: CSKT-MT Compact Instream Flow FIIP Diversions (available at [nris.mt.gov](http://nris.mt.gov))  
 Imagery Source: "Montana 2009 Color NAIP Orthophotos, 12-Kilometer Tiles" courtesy of USDA-Farm Services Agency, Aerial Photography Field Office and the Montana State Library.  
 Hillshade created from: "National Elevation Dataset" courtesy of U.S. Geological Survey (USGS), EROS Data Center (1-arc second)




Place of Use  
and Point of  
Diversion  
*Instream Flow*  
*FIIP Sites*  
**76L**  
**30052780**  
**Exhibit 1**




Flathead Indian Reservation

**Legend**

- Place of Use
- ⊙ Primary Point(s) of Diversion
- Reservation Boundary



POU/POD Data Source: CSKT-MT Compact Instream Flow FIIP Diversions (available at nris.mt.gov)  
 Imagery Source: "Montana 2009 Color NAIP Orthophotos, 12-Kilometer Tiles" courtesy of USDA-Farm Services Agency, Aerial Photography Field Office and the Montana State Library.  
 Hillshade created from: "National Elevation Dataset" courtesy of U.S. Geological Survey (USGS), EROS Data Center (1-arc second)




Place of Use  
and Point of  
Diversion  
*Instream Flow*  
*FIIP Sites*  
**76L**  
**30052781**  
**Exhibit 1**



Flathead Indian Reservation

**Legend**

- Place of Use
- ⊙ Primary Point(s) of Diversion
- Reservation Boundary



POU/POD Data Source: CSKT-MT Compact Instream Flow FIIP Divisions (available at nris.mt.gov)  
Imagery Source: "Montana 2009 Color NAIP Orthophotos, 12-Kilometer Tiles" courtesy of USDA-Farm Services Agency, Aerial Photography Field Office and the Montana State Library.  
Hillshade created from: "National Elevation Dataset" courtesy of U.S. Geological Survey (USGS), EROS Data Center (1-arc second)




Place of Use  
and Point of  
Diversion  
*Instream Flow*  
*FIIP Sites*  
**76L**  
**30052782**  
**Exhibit 1**




Flathead Indian Reservation

**Legend**


- Place of Use
- ⊙ Primary Point(s) of Diversion
- Reservation Boundary



POU/POD Data Source: CSKT-MT Compact Instream Flow FIIP Diversions (available at nris.mt.gov)  
 Imagery Source: "Montana 2009 Color NAIP Orthophotos, 12-Kilometer Tiles" courtesy of USDA-Farm Services Agency, Aerial Photography Field Office and the Montana State Library.  
 Hillshade created from: "National Elevation Dataset" courtesy of U.S. Geological Survey (USGS), EROS Data Center (1-arc second)




Place of Use  
and Point of  
Diversion  
*Instream Flow*  
*FIIP Sites*  
**76L**  
**30052783**  
**Exhibit 1**




Flathead Indian Reservation

**Legend**


-  Place of Use
-  Primary Point(s) of Diversion
-  Reservation Boundary



POU/POD Data Source: CSKT-MT Compact Instream Flow FIIP Diversions (available at [nris.mt.gov](http://nris.mt.gov))  
 Imagery Source: "Montana 2009 Color NAIP Orthophotos, 12-Kilometer Tiles" courtesy of USDA-Farm Services Agency, Aerial Photography Field Office and the Montana State Library.  
 Hillshade created from: "National Elevation Dataset" courtesy of U.S. Geological Survey (USGS), EROS Data Center (1-arc second)





Place of Use  
and Point of  
Diversion  
*Instream Flow*  
*FIIP Sites*  
**76L**  
**30052784**  
**Exhibit 1**




Flathead Indian Reservation

**Legend**


- Place of Use
- ⊙ Primary Point(s) of Diversion
- Reservation Boundary



POU/POD Data Source: CSKT-MT Compact Instream Flow FIIP Diversions (available at nris.mt.gov)  
 Imagery Source: "Montana 2009 Color NAIP Orthophotos, 12-Kilometer Tiles" courtesy of USDA-Farm Services Agency, Aerial Photography Field Office and the Montana State Library.  
 Hillshade created from: "National Elevation Dataset" courtesy of U.S. Geological Survey (USGS), EROS Data Center (1-arc second)




Place of Use  
and Point of  
Diversion  
*Instream Flow*  
*FIIP Sites*  
**76L**  
**30052785**  
**Exhibit 1**



Flathead Indian Reservation

**Legend**


- █ Place of Use
- ⊙ Primary Point(s) of Diversion
- Reservation Boundary



POU/POD Data Source: CSKT-MT Compact Instream Flow FIIP Diversions (available at nris.mt.gov)  
 Imagery Source: "Montana 2009 Color NAIP Orthophotos, 12-Kilometer Tiles" courtesy of USDA-Farm Services Agency, Aerial Photography Field Office and the Montana State Library.  
 Hillshade created from: "National Elevation Dataset" courtesy of U.S. Geological Survey (USGS), EROS Data Center (1-arc second)




Place of Use  
and Point of  
Diversion  
*Instream Flow*  
*FIIP Sites*  
**76L**  
**30052786**  
**Exhibit 1**




Flathead Indian Reservation

**Legend**


- Place of Use
- ⊙ Primary Point(s) of Diversion
- Reservation Boundary



POU/POD Data Source: CSKT-MT Compact Instream Flow FIIP Diversions (available at [nris.mt.gov](http://nris.mt.gov))  
 Imagery Source: "Montana 2009 Color NAIP Orthophotos, 12-Kilometer Tiles" courtesy of USDA-Farm Services Agency, Aerial Photography Field Office and the Montana State Library.  
 Hillshade created from: "National Elevation Dataset" courtesy of U.S. Geological Survey (USGS), EROS Data Center (1-arc second)




Place of Use  
and Point of  
Diversion  
*Instream Flow*  
*FIIP Sites*  
**76L**  
**30052787**  
**Exhibit 1**



Flathead Indian Reservation

**Legend**


- Place of Use
- Primary Point(s) of Diversion
- Reservation Boundary



POU/POD Data Source: CSKT-MT Compact Instream Flow FIIP Divisions (available at [nris.mt.gov](http://nris.mt.gov))  
 Imagery Source: "Montana 2009 Color NAIP Orthophotos, 12-Kilometer Tiles" courtesy of USDA-Farm Services Agency, Aerial Photography Field Office and the Montana State Library.  
 Hillshade created from: "National Elevation Dataset" courtesy of U.S. Geological Survey (USGS), EROS Data Center (1-arc second)





Place of Use  
and Point of  
Diversion  
*Instream Flow*  
*FIIP Sites*  
**76L**  
**30052788**  
**Exhibit 1**




Flathead Indian Reservation

**Legend**


- Place of Use
- ⊙ Primary Point(s) of Diversion
- Reservation Boundary



POU/POD Data Source: CSKT-MT Compact Instream Flow FIIP Diversions (available at nris.mt.gov)  
 Imagery Source: "Montana 2009 Color NAIP Orthophotos, 12-Kilometer Tiles" courtesy of USDA-Farm Services Agency, Aerial Photography Field Office and the Montana State Library.  
 Hillshade created from: "National Elevation Dataset" courtesy of U.S. Geological Survey (USGS), EROS Data Center (1-arc second)





Place of Use  
and Point of  
Diversion  
*Instream Flow*  
*FIIP Sites*  
**76L**  
**30052789**  
**Exhibit 1**




Flathead Indian Reservation

**Legend**


-  Place of Use
-  Primary Point(s) of Diversion
-  Reservation Boundary



POU/POD Data Source: CSKT-MT Compact Instream Flow FIIP Diversions (available at nris.mt.gov)  
Imagery Source: "Montana 2009 Color NAIP Orthophotos, 12-Kilometer Tiles" courtesy of USDA-Farm Services Agency, Aerial Photography Field Office and the Montana State Library.  
Hillshade created from: "National Elevation Dataset" courtesy of U.S. Geological Survey (USGS), EROS Data Center (1-arc second)





Place of Use  
and Point of  
Diversion  
*Instream Flow*  
*FIIP Sites*  
**76L**  
**30052790**  
**Exhibit 1**




Flathead Indian Reservation

**Legend**

- Place of Use
- ⊙ Primary Point(s) of Diversion
- Reservation Boundary



POU/POD Data Source: CSKT-MT Compact Instream Flow FIIP Divisions (available at nris.mt.gov)  
 Imagery Source: "Montana 2009 Color NAIP Orthophotos, 12-Kilometer Tiles" courtesy of USDA-Farm Services Agency, Aerial Photography Field Office and the Montana State Library.  
 Hillshade created from: "National Elevation Dataset" courtesy of U.S. Geological Survey (USGS), EROS Data Center (1-arc second)




Place of Use  
and Point of  
Diversion  
*Instream Flow*  
*FIIP Sites*  
**76L**  
**30052791**  
**Exhibit 1**



Flathead Indian Reservation

**Legend**


- █ Place of Use
- ⊙ Primary Point(s) of Diversion
- Reservation Boundary



POU/POD Data Source: CSKT-MT Compact Instream Flow FIIP Divisions (available at nris.mt.gov)  
Imagery Source: "Montana 2009 Color NAIP Orthophotos, 12-Kilometer Tiles" courtesy of USDA-Farm Services Agency, Aerial Photography Field Office and the Montana State Library.  
Hillshade created from: "National Elevation Dataset" courtesy of U.S. Geological Survey (USGS), EROS Data Center (1-arc second)




Place of Use  
and Point of  
Diversion  
*Instream Flow*  
*FIIP Sites*  
**76L**  
**30052792**  
**Exhibit 1**



Flathead Indian Reservation

**Legend**


- █ Place of Use
- ⊙ Primary Point(s) of Diversion
- Reservation Boundary



POU/POD Data Source: CSKT-MT Compact Instream Flow FIIP Diversions (available at nris.mt.gov)  
 Imagery Source: "Montana 2009 Color NAIP Orthophotos, 12-Kilometer Tiles" courtesy of USDA-Farm Services Agency, Aerial Photography Field Office and the Montana State Library.  
 Hillshade created from: "National Elevation Dataset" courtesy of U.S. Geological Survey (USGS), EROS Data Center (1-arc second)




Place of Use  
and Point of  
Diversion  
*Instream Flow*  
*FIIP Sites*  
**76L**  
**30052793**  
**Exhibit 1**



Flathead Indian Reservation

**Legend**


- Place of Use
- ⊙ Primary Point(s) of Diversion
- Reservation Boundary



POU/POD Data Source: CSKT-MT Compact Instream Flow FIIP Diversions (available at [nris.mt.gov](http://nris.mt.gov))  
 Imagery Source: "Montana 2009 Color NAIP Orthophotos, 12-Kilometer Tiles" courtesy of USDA-Farm Services Agency, Aerial Photography Field Office and the Montana State Library.  
 Hillshade created from: "National Elevation Dataset" courtesy of U.S. Geological Survey (USGS), EROS Data Center (1-arc second)




Place of Use  
and Point of  
Diversion  
*Instream Flow*  
*FIIP Sites*  
**76L**  
**30052794**  
**Exhibit 1**




Flathead Indian Reservation

**Legend**


-  Place of Use
-  Primary Point(s) of Diversion
-  Reservation Boundary



POU/POD Data Source: CSKT-MT Compact Instream Flow FIIP Diversions (available at nris.mt.gov)  
 Imagery Source: "Montana 2009 Color NAIP Orthophotos, 12-Kilometer Tiles" courtesy of USDA-Farm Services Agency, Aerial Photography Field Office and the Montana State Library.  
 Hillshade created from: "National Elevation Dataset" courtesy of U.S. Geological Survey (USGS), EROS Data Center (1-arc second)





Place of Use  
and Point of  
Diversion  
*Instream Flow*  
*FIIP Sites*  
**76L**  
**30052795**  
**Exhibit 1**




Flathead Indian Reservation

**Legend**


-  Place of Use
-  Primary Point(s) of Diversion
-  Reservation Boundary



POU/POD Data Source: CSKT-MT Compact Instream Flow FIIP Divisions (available at nris.mt.gov)  
Imagery Source: "Montana 2009 Color NAIP Orthophotos, 12-Kilometer Tiles" courtesy of USDA-Farm Services Agency, Aerial Photography Field Office and the Montana State Library.  
Hillshade created from: "National Elevation Dataset" courtesy of U.S. Geological Survey (USGS), EROS Data Center (1-arc second)




Place of Use  
and Point of  
Diversion  
*Instream Flow*  
*FIIP Sites*  
**76L**  
**30052796**  
**Exhibit 1**



Flathead Indian Reservation

**Legend**


-  Place of Use
-  Primary Point(s) of Diversion
-  Reservation Boundary



POU/POD Data Source: CSKT-MT Compact Instream Flow FIIP Diversions (available at [nris.mt.gov](http://nris.mt.gov))  
 Imagery Source: "Montana 2009 Color NAIP Orthophotos, 12-Kilometer Tiles" courtesy of USDA-Farm Services Agency, Aerial Photography Field Office and the Montana State Library.  
 Hillshade created from: "National Elevation Dataset" courtesy of U.S. Geological Survey (USGS), EROS Data Center (1-arc second)




Place of Use  
and Point of  
Diversion  
*Instream Flow*  
*FIIP Sites*  
**76L**  
**30052797**  
**Exhibit 1**




Flathead Indian Reservation

**Legend**


-  Place of Use
-  Primary Point(s) of Diversion
-  Reservation Boundary



POU/POD Data Source: CSKT-MT Compact Instream Flow FIIP Diversions (available at nris.mt.gov)  
Imagery Source: "Montana 2009 Color NAIP Orthophotos, 12-Kilometer Tiles" courtesy of USDA-Farm Services Agency, Aerial Photography Field Office and the Montana State Library.  
Hillshade created from: "National Elevation Dataset" courtesy of U.S. Geological Survey (USGS), EROS Data Center (1-arc second)




Place of Use  
and Point of  
Diversion  
*Instream Flow*  
*FIIP Sites*  
**76L**  
**30052798**  
**Exhibit 1**




Flathead Indian Reservation

**Legend**


-  Place of Use
-  Primary Point(s) of Diversion
-  Reservation Boundary



POU/POD Data Source: CSKT-MT Compact Instream Flow FIIP Diversions (available at [nris.mt.gov](http://nris.mt.gov))  
 Imagery Source: "Montana 2009 Color NAIP Orthophotos, 12-Kilometer Tiles" courtesy of USDA-Farm Services Agency, Aerial Photography Field Office and the Montana State Library.  
 Hillshade created from: "National Elevation Dataset" courtesy of U.S. Geological Survey (USGS), EROS Data Center (1-arc second)



Place of Use  
and Point of  
Diversion  
*Instream Flow*  
*FIIP Sites*  
**76L**  
**30052799**  
**Exhibit 1**




Flathead Indian Reservation

**Legend**


- █ Place of Use
- ⊙ Primary Point(s) of Diversion
- Reservation Boundary



POU/POD Data Source: CSKT-MT Compact Instream Flow FIIP Divisions (available at [nris.mt.gov](http://nris.mt.gov))  
 Imagery Source: "Montana 2009 Color NAIP Orthophotos, 12-Kilometer Tiles" courtesy of USDA-Farm Services Agency, Aerial Photography Field Office and the Montana State Library.  
 Hillshade created from: "National Elevation Dataset" courtesy of U.S. Geological Survey (USGS), EROS Data Center (1-arc second)





Place of Use  
and Point of  
Diversion  
Instream Flow  
FIIP Sites  
**76L**  
**30052800**  
**Exhibit 1**



Flathead Indian Reservation

**Legend**


-  Place of Use
-  Primary Point(s) of Diversion
-  Reservation Boundary



POU/POD Data Source: CSKT-MT Compact Instream Flow FIIP Diversions (available at nris.mt.gov)  
 Imagery Source: "Montana 2009 Color NAIP Orthophotos, 12-Kilometer Tiles" courtesy of USDA-Farm Services Agency, Aerial Photography Field Office and the Montana State Library.  
 Hillshade created from: "National Elevation Dataset" courtesy of U.S. Geological Survey (USGS), EROS Data Center (1-arc second)




Place of Use  
and Point of  
Diversion  
*Instream Flow*  
*FIIP Sites*  
**76L**  
**30052801**  
**Exhibit 1**



Flathead Indian Reservation

**Legend**


- Place of Use
- ⊙ Primary Point(s) of Diversion
- Reservation Boundary



POU/POD Data Source: CSKT-MT Compact Instream Flow FIIP Diversions (available at nris.mt.gov)  
 Imagery Source: "Montana 2009 Color NAIP Orthophotos, 12-Kilometer Tiles" courtesy of USDA-Farm Services Agency, Aerial Photography Field Office and the Montana State Library.  
 Hillshade created from: "National Elevation Dataset" courtesy of U.S. Geological Survey (USGS), EROS Data Center (1-arc second)




Place of Use  
and Point of  
Diversion  
*Instream Flow*  
*FIIP Sites*  
**76L**  
**30052802**  
**Exhibit 1**



Flathead Indian Reservation

**Legend**

- Place of Use
- ⊙ Primary Point(s) of Diversion
- Reservation Boundary



POU/POD Data Source: CSKT-MT Compact Instream Flow FIIP Divisions (available at nris.mt.gov)  
 Imagery Source: "Montana 2009 Color NAIP Orthophotos, 12-Kilometer Tiles" courtesy of USDA-Farm Services Agency, Aerial Photography Field Office and the Montana State Library.  
 Hillshade created from: "National Elevation Dataset" courtesy of U.S. Geological Survey (USGS), EROS Data Center (1-arc second)




Place of Use  
and Point of  
Diversion  
*Instream Flow*  
*FIIP Sites*  
**76LJ**  
**30052803**  
**Exhibit 1**



Flathead Indian Reservation

**Legend**


- Place of Use
- ⊙ Primary Point(s) of Diversion
- Reservation Boundary



POU/POD Data Source: CSKT-MT Compact Instream Flow FIIP Diversions (available at nris.mt.gov)  
 Imagery Source: "Montana 2009 Color NAIP Orthophotos, 12-Kilometer Tiles" courtesy of USDA-Farm Services Agency, Aerial Photography Field Office and the Montana State Library.  
 Hillshade created from: "National Elevation Dataset" courtesy of U.S. Geological Survey (USGS), EROS Data Center (1-arc second)




Place of Use  
and Point of  
Diversion  
*Instream Flow*  
*FIIP Sites*  
**76L**  
**30052804**  
**Exhibit 1**



Flathead Indian Reservation

**Legend**


- Place of Use
- ⊙ Primary Point(s) of Diversion
- Reservation Boundary



POU/POD Data Source: CSKT-MT Compact Instream Flow FIIP Divisions (available at [nris.mt.gov](http://nris.mt.gov))  
 Imagery Source: "Montana 2009 Color NAIP Orthophotos, 12-Kilometer Tiles" courtesy of USDA-Farm Services Agency, Aerial Photography Field Office and the Montana State Library.  
 Hillshade created from: "National Elevation Dataset" courtesy of U.S. Geological Survey (USGS), EROS Data Center (1-arc second)





Place of Use  
and Point of  
Diversion  
*Instream Flow*  
*FIIP Sites*  
**76L**  
**30052805**  
**Exhibit 1**




Flathead Indian Reservation

**Legend**


- █ Place of Use
- ⊙ Primary Point(s) of Diversion
- Reservation Boundary



POU/POD Data Source: CSKT-MT Compact Instream Flow FIIP Diversions (available at [nris.mt.gov](http://nris.mt.gov))  
 Imagery Source: "Montana 2009 Color NAIP Orthophotos, 12-Kilometer Tiles" courtesy of USDA-Farm Services Agency, Aerial Photography Field Office and the Montana State Library.  
 Hillshade created from: "National Elevation Dataset" courtesy of U.S. Geological Survey (USGS), EROS Data Center (1-arc second)




Place of Use  
and Point of  
Diversion  
*Instream Flow*  
*FIIP Sites*  
**76L**  
**30052806**  
**Exhibit 1**



Flathead Indian Reservation


**Legend**

- Place of Use
- ⊙ Primary Point(s) of Diversion
- Reservation Boundary



POU/POD Data Source: CSKT-MT Compact Instream Flow FIIP Diversions (available at nris.mt.gov)  
 Imagery Source: "Montana 2009 Color NAIP Orthophotos, 12-Kilometer Tiles" courtesy of USDA-Farm Services Agency, Aerial Photography Field Office and the Montana State Library.  
 Hillshade created from: "National Elevation Dataset" courtesy of U.S. Geological Survey (USGS), EROS Data Center (1-arc second)



Place of Use  
and Point of  
Diversion  
*Instream Flow*  
*FIIP Sites*  
**76L**  
**30052807**  
**Exhibit 1**



Flathead Indian Reservation

**Legend**


-  Place of Use
-  Primary Point(s) of Diversion
-  Reservation Boundary



POU/POD Data Source: CSKT-MT Compact Instream Flow FIIP Divisions (available at nris.mt.gov)  
 Imagery Source: "Montana 2009 Color NAIP Orthophotos, 12-Kilometer Tiles" courtesy of USDA-Farm Services Agency, Aerial Photography Field Office and the Montana State Library.  
 Hillshade created from: "National Elevation Dataset" courtesy of U.S. Geological Survey (USGS), EROS Data Center (1-arc second)




Place of Use  
and Point of  
Diversion  
*Instream Flow*  
*FIIP Sites*  
**76L**  
**30052808**  
**Exhibit 1**




Flathead Indian Reservation

**Legend**

- Place of Use
- ⊙ Primary Point(s) of Diversion
- Reservation Boundary



POU/POD Data Source: CSKT-MT Compact Instream Flow FIIP Diversions (available at nris.mt.gov)  
Imagery Source: "Montana 2009 Color NAIP Orthophotos, 12-Kilometer Tiles" courtesy of USDA-Farm Services Agency, Aerial Photography Field Office and the Montana State Library.  
Hillshade created from: "National Elevation Dataset" courtesy of U.S. Geological Survey (USGS), EROS Data Center (1-arc second)




Place of Use  
and Point of  
Diversion  
*Instream Flow*  
*FIIP Sites*  
**76L**  
**30052808**  
**Exhibit 2**



Flathead Indian Reservation

**Legend**


-  Place of Use
-  Primary Point(s) of Diversion
-  Reservation Boundary



POU/POD Data Source: CSKT-MT Compact Instream Flow FIIP Divisions (available at [nris.mt.gov](http://nris.mt.gov))  
 Imagery Source: "Montana 2009 Color NAIP Orthophotos, 12-Kilometer Tiles" courtesy of USDA-Farm Services Agency, Aerial Photography Field Office and the Montana State Library.  
 Hillshade created from: "National Elevation Dataset" courtesy of U.S. Geological Survey (USGS), EROS Data Center (1-arc second)




Place of Use  
and Point of  
Diversion  
*Instream Flow*  
*FIIP Sites*  
**76L**  
**30052808**  
**Exhibit 3**



Flathead Indian Reservation

**Legend**


-  Place of Use
-  Primary Point(s) of Diversion
-  Reservation Boundary



POU/POD Data Source: CSKT-MT Compact Instream Flow FIIP Diversions (available at nris.mt.gov)  
Imagery Source: "Montana 2009 Color NAIP Orthophotos, 12-Kilometer Tiles" courtesy of USDA-Farm Services Agency, Aerial Photography Field Office and the Montana State Library.  
Hillshade created from: "National Elevation Dataset" courtesy of U.S. Geological Survey (USGS), EROS Data Center (1-arc second)




Place of Use  
and Point of  
Diversion  
*Instream Flow*  
*FIIP Sites*  
**76L**  
**30052808**  
**Exhibit 4**



Flathead Indian Reservation

**Legend**


-  Place of Use
-  Primary Point(s) of Diversion
-  Reservation Boundary



POU/POD Data Source: CSKT-MT Compact Instream Flow FIIP Diversions (available at nris.mt.gov)  
Imagery Source: "Montana 2009 Color NAIP Orthophotos, 12-Kilometer Tiles" courtesy of USDA-Farm Services Agency, Aerial Photography Field Office and the Montana State Library.  
Hillshade created from: "National Elevation Dataset" courtesy of U.S. Geological Survey (USGS), EROS Data Center (1-arc second)




Place of Use  
and Point of  
Diversion  
*Instream Flow*  
*FIIP Sites*  
**76L**  
**30052808**  
**Exhibit 5**



Flathead Indian Reservation

**Legend**


-  Place of Use
-  Primary Point(s) of Diversion
-  Reservation Boundary



POU/POD Data Source: CSKT-MT Compact Instream Flow FIIP Divisions (available at nris.mt.gov)  
 Imagery Source: "Montana 2009 Color NAIP Orthophotos, 12-Kilometer Tiles" courtesy of USDA-Farm Services Agency, Aerial Photography Field Office and the Montana State Library.  
 Hillshade created from: "National Elevation Dataset" courtesy of U.S. Geological Survey (USGS), EROS Data Center (1-arc second)




Place of Use  
and Point of  
Diversion  
*Instream Flow*  
*FIIP Sites*  
**76L**  
**30052808**  
**Exhibit 6**



Flathead Indian Reservation

**Legend**

- █ Place of Use
- ⊙ Primary Point(s) of Diversion
- Reservation Boundary



POU/POD Data Source: CSKT-MT Compact Instream Flow FIIP Divisions (available at nris.mt.gov)  
 Imagery Source: "Montana 2009 Color NAIP Orthophotos, 12-Kilometer Tiles" courtesy of USDA-Farm Services Agency, Aerial Photography Field Office and the Montana State Library.  
 Hillshade created from: "National Elevation Dataset" courtesy of U.S. Geological Survey (USGS), EROS Data Center (1-arc second)

