



Montana Streamflow Conditions

Flathead River in British Columbia, May 9, 2018


Katherine J. Chase, PE, U. S. Geological Survey

Prepared for the State of Montana Governor's Drought and Water Supply Advisory Committee, May 14, 2018

**U.S. Department of the Interior
U.S. Geological Survey**

This information is preliminary and is subject to revision. It is being provided to meet the need for timely best science. The information is provided on the condition that neither the U.S. Geological Survey nor the U.S. Government shall be held liable for any damages resulting from the authorized or unauthorized use of the information.


Clark Fork above Missoula




Explanation - Percentile classes					
lowest-10th percentile	10-24	25-75	76-90	90th percentile-highest	Flow
Much below normal	Below normal	Normal	Above normal	Much above normal	




Blackfoot near Bonner



Flathead at Columbia Falls




Tenmile Creek near Rimini



Musselshell at Mosby

USGS 06130500 Musselshell River at Mosby MT
(Drainage area: 7784 square miles, length of record: 84 - 85 years)



USGS WaterWatch

2017

2018


Last updated: 2018-05-15



Other Missouri R Basin Peaks

Site	Peaks		
	Measured	Date	Projected (NWS)
06036650 Jefferson near Three Forks	11,600	5/12/2018	14,900
06043500 Gallatin near Gallatin Gateway	4,090	5/11/2018	5,870
06085800 Sun River at Simms	8,410	5/12/2018	15,600
06089000 Sun River near Vaughn	7,000	5/12/2018	16,200

Milk River at Tampico



U.S. Geological Survey Contacts

- Wyoming-Montana Center Director
 - John Kilpatrick (jmkilpat@usgs.gov) (406) 457-5902
- Wyoming-Montana Surface-Water Specialist
 - Katherine Chase (kchase@usgs.gov) (406) 457-5957
- Wyoming-Montana Data Chief
 - Kirk Miller (kmiller@usgs.gov) (307) 775-9168

<https://www.usgs.gov/centers/wy-mt-water>

Twitter: @USGS_MT

