

NOTICE OF RECEIPT WATER RIGHT APPLICATION

(Pursuant to Section § 85-2-307(1), MCA)

Summarized below are the application details as described in an Application for a Provisional Permit received by the Department of Natural Resources & Conservation on JULY 26, 2021. This notice reflects the application details only as originally submitted. The notice does not reflect changes to the application details made during the review process.

Application Number: 43B 30152917
Owners: YSR ACQUISITION CO LLC
 1425 4TH AVENUE #420
 SEATTLE, WA 98101
Priority Date: JULY 26, 2021 at 09:55 A.M.
Maximum Flow Rate: 92.00 GPM
Maximum Volume: 44.00 AC-FT
Source Name: GROUNDWATER
Source Type: GROUNDWATER

Point of Diversion and Means of Diversion:

<u>ID</u>	<u>Govt Lot</u>	<u>QtrSec</u>	<u>Sec</u>	<u>Twp</u>	<u>Rge</u>	<u>County</u>
1		NESWNWSE	34	5S	8E	PARK

Period of Diversion:

Diversion Means: WELL
Well Depth: 317.00 FEET
Static Water Level: 55.00 FEET
Well Location: 55 SAGE LODGE DR

2		NWSWNESW	34	5S	8E	PARK
---	--	----------	----	----	----	------

Period of Diversion:

Diversion Means: WELL
Well Depth: 518.00 FEET
Static Water Level: 80.00 FEET
Well Location: 55 SAGE LODGE DR

Purpose (Use): DOMESTIC
Households:
Volume: 44.00 AC-FT
Place of Use:

<u>ID</u>	<u>Acres</u>	<u>Govt Lot</u>	<u>QtrSec</u>	<u>Sec</u>	<u>Twp</u>	<u>Rge</u>	<u>County</u>
1		SWNESW		34	5S	8E	PARK

IF ISSUED, THE RIGHT WILL BE SUBJECT TO PRIOR EXISTING WATER RIGHTS.

In general, the department will make a preliminary determination to grant or deny this application within 120 days of the date the application is deemed correct and complete. That date is currently unknown. If the preliminary determination is to grant the application, the application will be published in the local newspaper and a notice will be sent to appropriators who, according to the department records may be affected by the proposed appropriation. Individuals will have 45 days to submit an objection under § 85-2-308, MCA, after the application has been published in the newspaper.

Direct questions regarding this application to the Water Resources Regional Office, 2273 BOOT HILL COURT, SUITE 110, BOZEMAN, MT 59715-7249 PHONE: 406-586-3136 FAX: 406-587-9726.