

# NOTICE OF RECEIPT WATER RIGHT APPLICATION

(Pursuant to Section § 85-2-307(1), MCA)

Summarized below are the application details as described in an Application for a Provisional Permit received by the Department of Natural Resources & Conservation on JULY 25, 2019. This notice reflects the application details only as originally submitted. The notice does not reflect changes to the application details made during the review process.

**Application Number:** 41H 30127867  
**Owners:** FLIR SYSTEMS INC  
% RANDY EQUALL  
31948 E FRONTAGE RD  
BOZEMAN, MT 59715 8642  
**Priority Date:** JULY 25, 2019 at 04:35 P.M.  
**Maximum Flow Rate:** 700.00 GPM  
**Maximum Volume:** 831.00 AC-FT  
**Source Name:** GROUNDWATER  
**Source Type:** GROUNDWATER

**Point of Diversion and Means of Diversion:**

<u>ID</u>	<u>Govt Lot</u>	<u>Qtr Sec</u>	<u>Sec</u>	<u>Twp</u>	<u>Rge</u>	<u>County</u>
1		SE	26	1S	5E	GALLATIN

**Period of Diversion:**  
**Diversion Means:** WELL

2		SE	26	1S	5E	GALLATIN
---	--	----	----	----	----	----------

**Period of Diversion:**  
**Diversion Means:** WELL

**Purpose (Use):** GEOTHERMAL HEATING      **Purpose Clarification:** NON-CONSUMPTIVE  
**Volume:** 831.00 AC-FT  
**Place of Use:**

<u>ID</u>	<u>Acres</u>	<u>Govt Lot</u>	<u>Qtr Sec</u>	<u>Sec</u>	<u>Twp</u>	<u>Rge</u>	<u>County</u>
1			SE	26	1S	5E	GALLATIN

**Remarks:**

**BOZEMAN SOLVENT SITE CGWA**

THIS RIGHT IS LOCATED WITHIN THE BOZEMAN SOLVENT SITE CONTROLLED GROUND WATER AREA.

IF ISSUED, THE RIGHT WILL BE SUBJECT TO PRIOR EXISTING WATER RIGHTS.

In general, the department will make a preliminary determination to grant or deny this application within 120 days of the date the application is deemed correct and complete. That date is currently unknown. If the preliminary determination is to grant the application, the application will be published in the local newspaper and a notice will be sent to appropriators who, according to the department records may be affected by the proposed appropriation. Individuals will have 45 days to submit an objection under § 85-2-308, MCA, after the application has been published in the newspaper.

Direct questions regarding this application to the Water Resources Regional Office, 2273 BOOT HILL COURT, SUITE 110, BOZEMAN, MT 59715-7249 PHONE: 406-586-3136 FAX: 406-587-9726.