NOTICE OF RECEIPT WATER RIGHT APPLICATION

(Pursuant to Section § 85-2-307(1), MCA)

Summarized below are the application details as described in an Application for a Provisional Permit received by the Department of Natural Resources & Conservation on JANUARY 19, 2021. This notice reflects the application details only as originally submitted. The notice does not reflect changes to the application details made during the review process.

Application Number: 43B 30151088

Owners: HAROLD S FREEDMAN

474 GREENWICH ST #35 S NEW YORK, NY 10013

MARGARET E POPPER 474 GREENWICH ST #35 S NEW YORK, NY 10013

Priority Date: JANUARY 19, 2021 at 10:43 A.M.

Purpose (Use): DOMESTIC

LAWN AND GARDEN

Maximum Flow Rate:35.00 GPMMaximum Volume:2.60 AC-FT

Maximum Acres: 0.64

Source Name: GROUNDWATER

Source Type: GROUNDWATER

Point of Diversion and Means of Diversion:

IDGovt LotQtrSecSecTwpRgeCounty1SESENE278S7EPARK

Period of Diversion: JANUARY 1 TO DECEMBER 31

Diversion Means: WELL

Water Temperature: 42.00 DEGREES
Well Depth: 180.00 FEET
Static Water Level: 150.00 FEET
Casing Diameter: 6.00 INCHES

Well Location: 416 CINNABAR BASIN RD

Purpose (Use): DOMESTIC

Households:

Volume: 1.00 AC-FT

Period of Use: JANUARY 1 to DECEMBER 31

Place of Use:

IDAcresGovt LotQtrSecSecTwpRgeCounty1SESENE278S7EPARK

Purpose (Use): LAWN AND GARDEN

Volume: 1.60 AC-FT

Period of Use: APRIL 1 to OCTOBER 31

Place of Use:

IDAcresGovt LotQtrSecSecTwpRgeCounty10.64SESENE278S7EPARK

Total: 0.64

IF ISSUED, THE RIGHT WILL BE SUBJECT TO PRIOR EXISTING WATER RIGHTS.

In general, the department will make a preliminary determination to grant or deny this application within 120 days of the date the application is deemed correct and complete. That date is currently unknown. If the preliminary determination is to grant the application, the application will be published in the local newspaper and a notice will be sent to appropriators who, according to the department records may be affected by the proposed appropriation. Individuals will have 45 days to submit an objection under § 85-2-308, MCA, after the application has been published in the newspaper.

Direct questions regarding this application to the Water Resources Regional Office, 2273 BOOT HILL COURT, SUITE 110, BOZEMAN, MT 59715-7249 PHONE: 406-586-3136 FAX: 406-587-9726.