

PUBLIC NOTICE

Notice to Water Users
(Pursuant to Section 85-2-307, MCA)

The following application has been submitted to appropriate water in the State of Montana.

THE DEPARTMENT OF NATURAL RESOURCES AND CONSERVATION PROPOSES TO GRANT AN APPLICATION FOR BENEFICIAL WATER USE PERMIT. DESCRIBED BELOW ARE THE PERTINENT FACTS WHICH SUMMARIZE THE APPLICATION. THE PRELIMINARY DETERMINATION (PD) DOCUMENTING THE FINDINGS OF FACT AND CONCLUSIONS OF LAW AND ANY CONDITIONS ATTACHED TO THE WATER RIGHT ARE AVAILABLE ON THE INTERNET AT <http://www.dnrc.mt.gov/wrd/>.

OBJECTION DEADLINE: SEPTEMBER 30, 2016. THE DEPARTMENT CAN ONLY ACCEPT OBJECTIONS FILED ON AN OBJECTION TO APPLICATION, FORM 611. MAIL THE COMPLETED FORM AND THE \$25.00 FILING FEE TO THE DNRC, PO BOX 201601, HELENA, MT 59620-1601 BY THE DEADLINE SPECIFIED. THE FORM IS AVAILABLE ON THE DEPARTMENT'S WEBSITE.

DIRECT ANY QUESTIONS PERTAINING TO THE APPLICATION, TO OBTAIN THE PD OR OBJECTION FORM TO THE WATER RESOURCES OFFICE AT 655 TIMBERWOLF PARKWAY, SUITE 4, KALISPELL, MT 59901-2387, PHONE: 406-752-2288, FAX: 406-752-2843.

IF ISSUED, THE RIGHT WILL BE SUBJECT TO PRIOR EXISTING WATER RIGHTS.

Application Number: 76LJ 30071619
Owners: PRESBYTERY OF GLACIER
PO BOX 384
LAKESIDE, MT 59922
Priority Date: DECEMBER 31, 2014 at 02:45 P.M.
Purpose (use): COMMERCIAL
IRRIGATION
Maximum Flow Rate: 129.00 GPM
Maximum Volume: 15.03 AC-FT
Maximum Acres: 1.07
Source Name: GROUNDWATER
Source Type: GROUNDWATER

Point of Diversion and Means of Diversion:

<u>ID</u>	<u>Govt Lot</u>	<u>Qtr Sec</u>	<u>Sec</u>	<u>Twp</u>	<u>Rge</u>	<u>County</u>
1	2	SWSENW	4	25N	20W	LAKE

Period of Diversion: JANUARY 1 TO DECEMBER 31
Diversion Means: PUMP
Well Depth: 260.00 FEET
Static Water Level: 131.00 FEET

Purpose (Use): COMMERCIAL
Volume: 12.74 AC-FT
Period of Use: JANUARY 1 to DECEMBER 31
Place of Use:

<u>ID</u>	<u>Acres</u>	<u>Govt Lot</u>	<u>Qtr Sec</u>	<u>Sec</u>	<u>Twp</u>	<u>Rge</u>	<u>County</u>
1			W2E2NW	4	25N	20W	LAKE
2			E2W2NW	4	25N	20W	LAKE

Purpose (Use): IRRIGATION
Irrigation Type: SPRINKLER
Volume: 2.29 AC-FT
Period of Use: APRIL 17 to OCTOBER 19
Place of Use:

<u>ID</u>	<u>Acres</u>	<u>Govt Lot</u>	<u>Qtr Sec</u>	<u>Sec</u>	<u>Twp</u>	<u>Rge</u>	<u>County</u>
1	0.33		SWNENW	4	25N	20W	LAKE
2	0.74		W2SENW	4	25N	20W	LAKE
Total:	1.07						

Remarks:

WATER MEASUREMENT INFORMATION

THE APPROPRIATOR SHALL INSTALL A DEPARTMENT APPROVED IN-LINE FLOW METER AT A POINT IN THE DELIVERY LINE APPROVED BY THE DEPARTMENT. WATER MUST NOT BE DIVERTED UNTIL THE REQUIRED MEASURING DEVICE IS IN PLACE AND OPERATING. ON A FORM PROVIDED BY THE

DEPARTMENT, THE APPROPRIATOR SHALL KEEP A WRITTEN MONTHLY RECORD OF THE FLOW RATE AND VOLUME OF ALL WATER DIVERTED, INCLUDING THE PERIOD OF TIME. RECORDS SHALL BE SUBMITTED BY JANUARY 31 OF EACH YEAR AND UPON REQUEST AT OTHER TIMES DURING THE YEAR UNTIL THE BENEFICIAL WATER USE PERMIT IS PERFECTED AND THE DEPARTMENT RECEIVES A PROJECT COMPLETION NOTICE. FAILURE TO SUBMIT REPORTS MAY BE CAUSE FOR REVOCATION OF A PERMIT OR CHANGE. THE RECORDS MUST BE SENT TO THE WATER RESOURCES REGIONAL OFFICE. THE APPROPRIATOR SHALL MAINTAIN THE MEASURING DEVICE SO IT ALWAYS OPERATES PROPERLY AND MEASURES FLOW RATE AND VOLUME ACCURATELY.

PUBLISHED IN: DAILY INTER LAKE ON AUGUST 17, 2016.