

CHECKLIST ENVIRONMENTAL ASSESSMENT

Project Name:	Triangle Telephone Harlowton Exchange Improvement
Proposed Implementation Date:	May- August 2026
Proponent:	Triangle Telephone Cooperative Association, Inc.
Location:	SE4SW4- Sec. 12, T06N R12E
County:	Wheatland
Trust:	Common Schools

I. TYPE AND PURPOSE OF ACTION

Triangle Telephone Cooperative Association, Inc. (TTCA, Inc.) is proposing replacing existing telecommunication facilities which service their Harlowton Exchange. Replacing current fiber facilities will improve service and distribution while providing for future growth opportunities. The proposed route includes crossing School Trust Land in the SE4SW4- Sec. 12, T06N R12E and run 294.15 feet in the existing county road right of way. TTCA Inc. has requested a 20-foot-wide easement which will encompass a total of 0.14 acres of School Trust Land and will generate income for the Common Schools Trust.

II. PROJECT DEVELOPMENT

1. PUBLIC INVOLVEMENT, AGENCIES, GROUPS OR INDIVIDUALS CONTACTED:

Provide a brief chronology of the scoping and ongoing involvement for this project.

The Department of Natural Resources and Conservation (DNRC)
Northeastern Land Office (NELO) & Lewistown Unit Office
Proponent: Triangle Telephone Cooperative Association, Inc. (TTCA, Inc.)
Surface Lessees: McFarland-White Ranch
Other: Patrick Rennie (DNRC Archaeologist),

2. OTHER GOVERNMENTAL AGENCIES WITH JURISDICTION, LIST OF PERMITS NEEDED:

The DNRC has jurisdiction over this proposed project. The project will be administered by the Lewistown Unit of the Northeastern Land Office.

The proponent is responsible for acquiring all necessary permits for the proposed project and settling all surface damages with the surface lessees.

3. ALTERNATIVES CONSIDERED:

Alternative A (No Action) – Under this alternative, the Department does not grant TTCA, Inc. the requested easement.

Alternative B (the Proposed Action) – Under this alternative, the Department authorizes TTCA, Inc. the requested Right of Way Easement across SE4SW4- Sec. 12, T06N R12E for the installation of buried fiber optic communication cable.

III. IMPACTS ON THE PHYSICAL ENVIRONMENT

- *RESOURCES potentially impacted are listed on the form, followed by common issues that would be considered.*
- *Explain POTENTIAL IMPACTS AND MITIGATIONS following each resource heading.*
- *Enter "NONE" if no impacts are identified or the resource is not present.*

4. GEOLOGY AND SOIL QUALITY, STABILITY AND MOISTURE:

Consider the presence of fragile, compactable or unstable soils. Identify unusual geologic features. Specify any special reclamation considerations. Identify any cumulative impacts to soils.

All soil types in the planned project area are rated as somewhat limited for shallow excavations, due to instability when they are trenched to depths of 5 to 6 feet. Installation of this project will utilize a trenchless method. This method involves using the ripper on the back of a bulldozer that drops the cable and conduit in as it goes, thus negating the possible negative impacts associated trenching in these soils.

The most limiting soil characteristic in the project area is rutting hazard. Soils are rated as moderate to severe for rutting hazards, when exposed to equipment operation. To mitigate this hazard, operations will be restricted to dry periods when the soil is most stable.

All soils in the project area are rated as slight for erosion hazard. Since all projects are occurring in previously disturbed areas with established erosion control vegetation, the minimal ground disturbance caused by the trenchless installation method will limit possible erosion issues.

All applicable soil ratings can be seen in Appendix A. No significant cumulative impacts to geology or soil quality, stability, and moisture are anticipated.

5. WATER QUALITY, QUANTITY AND DISTRIBUTION:

Identify important surface or groundwater resources. Consider the potential for violation of ambient water quality standards, drinking water maximum contaminant levels, or degradation of water quality. Identify cumulative effects to water resources.

No significant impacts to local or regional water resources are anticipated.

6. AIR QUALITY:

What pollutants or particulate would be produced? Identify air quality regulations or zones (e.g. Class I air shed) the project would influence. Identify cumulative effects to air quality.

No significant impacts to air quality are anticipated.

7. VEGETATION COVER, QUANTITY AND QUALITY:

What changes would the action cause to vegetative communities? Consider rare plants or cover types that would be affected. Identify cumulative effects to vegetation.

All easements are located within the current road ROWs that are already dominated by introduced species such as smooth brome and crested wheatgrass. Since the method of installation is trenchless there will be very little soil disturbance allowing the introduced grasses to quickly revegetate.

If re-seeding is necessary the proponent will acquire certified, weed free seed and refer to the Plant Materials Tech Note No. MT-46 (Rev. 4) dated September 2013 for seeding rates.

No rare plants or cover types are present. No significant impacts to vegetation are anticipated.

8. TERRESTRIAL, AVIAN AND AQUATIC LIFE AND HABITATS:

Consider substantial habitat values and use of the area by wildlife, birds or fish. Identify cumulative effects to fish and wildlife.

All construction associated with this project are planned in previously disturbed areas along road rights of way.

No significant impacts to terrestrial, avian, or aquatic habitats are anticipated.

9. UNIQUE, ENDANGERED, FRAGILE OR LIMITED ENVIRONMENTAL RESOURCES:

Consider any federally listed threatened or endangered species or habitat identified in the project area. Determine effects to wetlands. Consider Sensitive Species or Species of special concern. Identify cumulative effects to these species and their habitat.

All easement areas are adjacent to existing disturbances with frequent human use, mostly roads, as such the habitat is already modified. The most common impact for most species will be temporary displacement. See Appendix B for additional information on species of concern in the project area.

No significant impacts to unique, endangered, fragile or limited environmental resources are anticipated, though temporary displacement of local wildlife may occur during the project.

10. HISTORICAL AND ARCHAEOLOGICAL SITES:

Identify and determine effects to historical, archaeological or paleontological resources.

A Class I (literature review) level review was conducted by the DNRC staff archaeologist for the area of potential effect (APE). This entailed inspection of project maps, DNRC's sites/site leads database, land use records, General Land Office Survey Plats, and control cards. The Class I search revealed that no cultural or paleontological resources have been identified in the APE, and most of the APE was inventoried to Class III standards in 2010.

Proposed telecommunications cable installation work is expected to have *No Effect to Antiquities*. No additional archaeological investigative work will be conducted in response to this proposed development. However, if previously unknown cultural or paleontological materials are identified during project related activities, all work will cease until a professional assessment of such resources can be made.

11. AESTHETICS:

Determine if the project is located on a prominent topographic feature, or may be visible from populated or scenic areas. What level of noise, light or visual change would be produced? Identify cumulative effects to aesthetics.

No significant impacts on the aesthetics of the area are anticipated.

12. DEMANDS ON ENVIRONMENTAL RESOURCES OF LAND, WATER, AIR OR ENERGY:

Determine the amount of limited resources the project would require. Identify other activities nearby that the project would affect. Identify cumulative effects to environmental resources.

No limited environmental resources will be significantly impacted because of this project. This project will also not add any significant cumulative demands on environmental resources.

13. OTHER ENVIRONMENTAL DOCUMENTS PERTINENT TO THE AREA:

List other studies, plans or projects on this tract. Determine cumulative impacts likely to occur as a result of current private, state or federal actions in the analysis area, and from future proposed state actions in the analysis area that are under MEPA review (scoped) or permitting review by any state agency.

There are no other projects or plans being considered on the tracts listed in this EA Checklist.

IV. IMPACTS ON THE HUMAN POPULATION

- *RESOURCES potentially impacted are listed on the form, followed by common issues that would be considered.*
- *Explain POTENTIAL IMPACTS AND MITIGATIONS following each resource heading.*
- *Enter "NONE" if no impacts are identified or the resource is not present.*

22. SOCIAL STRUCTURES AND MORES:

Identify potential disruption of native or traditional lifestyles or communities.

There are no native, unique or traditional lifestyles or communities in the vicinity that would be significantly impacted by the proposal.

23. CULTURAL UNIQUENESS AND DIVERSITY:

How would the action affect any unique quality of the area?

The proposed project will have no significant impact on any culturally unique quality of the area.

24. OTHER APPROPRIATE SOCIAL AND ECONOMIC CIRCUMSTANCES:

Estimate the return to the trust. Include appropriate economic analysis. Identify potential future uses for the analysis area other than existing management. Identify cumulative economic and social effects likely to occur as a result of the proposed action.

The proposed project will not have any significant cumulative economic or social effect.

V. FINDING

25. ALTERNATIVE SELECTED:

Alternative B (the Proposed Action) – Under this alternative, the Department grants TTCA, Inc. the requested Right of Way Easement across SE4SW4- Sec. 12, T06N R12E for the installation of buried fiber optic communication cable.


26. SIGNIFICANCE OF POTENTIAL IMPACTS:

I have evaluated the potential environment effects and have determined no significant impact to the environment because of this project.

27. NEED FOR FURTHER ENVIRONMENTAL ANALYSIS:


EIS More Detailed EA No Further Analysis

EA Checklist Prepared By:	Name: Cole Stumpf Title: Land Use Specialist
Signature: 	Date: 10 March 2016

EA Checklist Approved By:	Name: Josh Stoychoff Title: Unit Manager, Northeastern Land Office
Signature: 	Date: 3/10/20

Appendix A: Soil Data

T6N R12E Sec.12



Warning: Soil Ratings Map may not be valid at this scale.

Tables - Shallow Excavations - Summary By Map Unit

Table - Shallow Excavations - Summary by Rating Value

Description - Shallow Excavations

ENG - Engineering

Shallow excavations are trenches or holes dug to a maximum depth of 5 or 6 feet for graves, utility lines, open ditches, or other purposes. The ratings are based on the soil properties that influence the ease of digging and the resistance to sloughing. Depth to bedrock or a cemented pan, hardness of bedrock or a cemented pan, the amount of large stones, and dense layers influence the ease of digging, filling, and compacting. Depth to the seasonal high water table, flooding, and ponding may restrict the period when excavations can be made. Slope influences the ease of using machinery. Soil texture, depth to the water table, and linear extensibility (shrink-swell potential) influence the resistance to sloughing.

The ratings are both verbal and numerical. Rating class terms indicate the extent to which the soils are limited by all of the soil features that affect the specified use. "Not limited" indicates that the soil has features that are very favorable for the specified use. Good performance and very low maintenance can be expected. "Somewhat limited" indicates that the soil has features that are moderately favorable for the specified use. The limitations can be overcome or minimized by special planning, design, or installation. Fair performance and moderate maintenance can be expected. "Very limited" indicates that the soil has one or more features that are unfavorable for the specified use. The limitations generally cannot be overcome without major soil reclamation, special design, or expensive installation procedures. Poor performance and high maintenance can be expected.

Numerical ratings indicate the severity of individual limitations. The ratings are shown as decimal fractions ranging from 0.01 to 1.00. They indicate gradations between the point at which a soil feature has the greatest negative impact on the use (1.00) and the point at which the soil feature is not a limitation (0.00).

Summary by Map Unit - Wheatland County Area, Montana (MT624)

Summary by Map Unit - Wheatland County Area, Montana (MT624)

Map unit symbol	Map unit name	Rating	Component name (percent)	Rating reasons (numeric values)	Acres in AOI	Percent of AOI
600B	Nesda, occasionally flooded-Meadowcreek, rarely flooded-McIlwaine, rarely flooded complex, 0 to 4 percent slopes	Slight	Nesda (35%) Meadowcreek (30%) McIlwaine (20%) Bonebasin (5%) Riverrun (5%)		13.9	28.3%
677C	Shawmut gravelly loam, 2 to 8 percent slopes	Slight	Shawmut (90%) Martinsdale (5%) Meagher (5%)		35.1	71.7%
Totals for Area of Interest					49.0	100.0%

Table - Erosion Hazard (Off-Road, Off-Trail) - Summary by Rating Value

Summary by Rating Value

Summary by Rating Value

Rating	Acres in AOI	Percent of AOI
Slight	49.0	100.0%
Totals for Area of Interest	49.0	100.0%

Description - Erosion Hazard (Off-Road, Off-Trail)

The ratings in this interpretation indicate the hazard of soil loss from off-road and off-trail areas after disturbance activities that expose the soil surface. The ratings are based on slope, soil erosion factor K, and an index of rainfall erosivity (R). The soil loss is caused by sheet or rill erosion in off-road or off-trail areas where 50 to 75 percent of the surface has been exposed by logging, grazing, mining, or other kinds of disturbance.

The ratings are both verbal and numerical. The hazard is described as "slight," "moderate," "severe," or "very severe." A rating of "slight" indicates that erosion is unlikely under ordinary climatic conditions; "moderate" indicates that some erosion is likely and that erosion-control measures may be needed; "severe" indicates that erosion is very likely and that erosion-control measures, including revegetation of bare areas, are advised; and "very severe" indicates that significant erosion is expected, loss of soil productivity and off-site damage are likely, and erosion-control measures are costly and generally impractical.

Numerical ratings indicate the severity of individual limitations. The ratings are shown as decimal fractions ranging from 0.01 to 1.00. They indicate gradations between the point at which a soil feature has the greatest negative impact on the specified aspect of forestland management (1.00) and the point at which the soil feature is not a limitation (0.00).

The map unit components listed for each map unit in the accompanying Summary by Map Unit table in Web Soil Survey or the Aggregation Report in Soil Data Viewer are determined by the aggregation method chosen. An aggregated rating class is shown for each map unit. The components listed for each map unit are only those that have the same rating class as listed for the map unit. The percent composition of each component in a particular map unit is presented to help the user better understand the percentage of each map unit that has the rating presented.

Other components with different ratings may be present in each map unit. The ratings for all components, regardless of the map unit aggregated rating, can be viewed by generating the equivalent report from the Soil Reports tab in Web Soil Survey or from the Soil Data Mart site. Onsite investigation may be needed to validate these interpretations and to confirm the identity of the soil on a given site.

Tables - Soil Rutting Hazard - Summary By Map Unit

Summary by Map Unit - Wheatland County Area, Montana (MT624)						
Summary by Map Unit - Wheatland County Area, Montana (MT624)						
Map unit symbol	Map unit name	Rating	Component name (percent)	Rating reasons (numeric values)	Acres in AOI	Percent of AOI
600B	Nesda, occasionally flooded-Meadowcreek, rarely flooded-McIlwaine, rarely flooded complex, 0 to 4 percent slopes	Severe	Nesda (35%)	Low strength (1.00)	13.9	28.3%
			Meadowcreek (30%)	Low strength (1.00)		
			McIlwaine (20%)	Low strength (1.00)		
			Bonebasin (5%)	Low strength (1.00)		
677C	Shawmut gravelly loam, 2 to 8 percent slopes	Moderate	Shawmut (90%)	Low strength (0.50)	35.1	71.7%
			Martinsdale (5%)	Low strength (0.50)		
			Meagher (5%)	Low strength (0.50)		
Totals for Area of Interest					49.0	100.0%

Table - Soil Rutting Hazard - Summary by Rating Value

Summary by Rating Value			
Rating	Acres in AOI	Percent of AOI	
Moderate	35.1	71.7%	
Severe	13.9	28.3%	
Totals for Area of Interest	49.0	100.0%	

Description - Soil Rutting Hazard

FOR - Forestry

The ratings in this Interpretation indicate the hazard of surface rut formation through the operation of forestland equipment. Soil displacement and puddling (soil deformation and compaction) may occur simultaneously with rutting.

Ratings are based on depth to a water table, rock fragments on or below the surface, the Unified classification of the soil, depth to a restrictive layer, and slope. The hazard is described as slight, moderate, or severe. A rating of "slight" indicates that the soil is subject to little or no rutting. "Moderate" indicates that rutting is likely. "Severe" indicates that ruts form readily.

Numerical ratings indicate the severity of individual limitations. The ratings are shown as decimal fractions ranging from 0.01 to 1.00. They indicate gradations between the point at which a soil feature has the greatest negative impact on the specified aspect of forestland management (1.00) and the point at which the soil feature is not a limitation (0.00).

The map unit components listed for each map unit in the accompanying Summary by Map Unit table in Web Soil Survey or the Aggregation Report in Soil Data Viewer are determined by the aggregation method chosen. An aggregated rating class is shown for each map unit. The components listed for each map unit are only those that have the same rating class as listed for the map unit. The percent composition of each component in a particular map unit is presented to help the user better understand the percentage of each map unit that has the rating presented.

Appendix C: Project Location Maps

SE4SW4- Sec. 12, T06N R12E

