

CHECKLIST ENVIRONMENTAL ASSESSMENT

Project Name:	Triangle Telephone Chinook Exchange Improvement
Proposed Implementation Date:	May- August 2026
Proponent:	Triangle Telephone Cooperative Association, Inc.
Location:	SE4NE4 – Sec. 5, T29N R21E and N2SE4, SE4SE4 – Sec. 20, T27N R19E
County:	Blaine
Trust:	Common Schools

I. TYPE AND PURPOSE OF ACTION

Triangle Telephone Cooperative Association, Inc. (TTCA, Inc.) is proposing replacing existing telecommunication facilities which service their Chinook Exchange. Replacing current fiber facilities will improve service and distribution while providing for future growth opportunities. The proposed route includes crossing School Trust Land at two locations. First in SE4NE4 – Sec. 5, T29N R21E and will following an existing road for 1239.60 feet. The second location is N2SE4, SE4SE4 – Sec. 20, T27N R19E, again following an existing road for 3026.96 feet. TTCA Inc. has requested a 20-foot-wide easement at both locations which will encompass a total of 1.96 acres of School Trust Land and will generate income for the Common Schools Trust.

II. PROJECT DEVELOPMENT

1. PUBLIC INVOLVEMENT, AGENCIES, GROUPS OR INDIVIDUALS CONTACTED: *Provide a brief chronology of the scoping and ongoing involvement for this project.*

The Department of Natural Resources and Conservation (DNRC)
Northeastern Land Office (NELO) & Lewistown Unit Office
Proponent: Triangle Telephone Cooperative Association, Inc. (TTCA, Inc.)
Surface Lessees: Douglas Hofeldt, Cowan and Sons
Other: Patrick Rennie (DNRC Archaeologist), Montana Sage Grouse Oversight Team (MSGOT)

2. OTHER GOVERNMENTAL AGENCIES WITH JURISDICTION, LIST OF PERMITS NEEDED:

The DNRC has jurisdiction over this proposed project. The project will be administered by the Lewistown Unit of the Northeastern Land Office.

The proponent is responsible for acquiring all necessary permits for the proposed project and settling all surface damages with the surface lessees.

3. ALTERNATIVES CONSIDERED:

Alternative A (No Action) – Under this alternative, the Department does not grant TTCA, Inc. the requested easement.

Alternative B (the Proposed Action) – Under this alternative, the Department grants TTCA, Inc. the requested Right of Way Easement across SE4NE4 – Sec. 5, T29N R21E and N2SE4, SE4SE4 – Sec. 20, T27N R19 for the installation of buried fiber optic communication cable.

III. IMPACTS ON THE PHYSICAL ENVIRONMENT

- *RESOURCES potentially impacted are listed on the form, followed by common issues that would be considered.*
- *Explain POTENTIAL IMPACTS AND MITIGATIONS following each resource heading.*
- *Enter "NONE" if no impacts are identified or the resource is not present.*

4. GEOLOGY AND SOIL QUALITY, STABILITY AND MOISTURE:

Consider the presence of fragile, compactable or unstable soils. Identify unusual geologic features. Specify any special reclamation considerations. Identify any cumulative impacts to soils.

All soil types in the planned project area are rated as somewhat limited for shallow excavations, due to instability when they are trenched to depths of 5 to 6 feet. Installation of this project will utilize a trenchless method. This method involves using the ripper on the back of a bulldozer that drops the cable and conduit in as it goes, thus negating the possible negative impacts associated trenching in these soils.

The most limiting soil characteristic in the project area is rutting hazard. Soils are rated as moderate to severe for rutting hazards, when exposed to equipment operation. To mitigate this hazard, operations will be restricted to dry periods when the soil is most stable.

All soils in the project area are rated as slight for erosion hazard. Since all projects are occurring in previously disturbed areas with established erosion control vegetation, the minimal ground disturbance caused by the trenchless installation method will limit possible erosion issues.

All applicable soil ratings can be seen in Appendix A. No significant cumulative impacts to geology or soil quality, stability, and moisture are anticipated.

5. WATER QUALITY, QUANTITY AND DISTRIBUTION:

Identify important surface or groundwater resources. Consider the potential for violation of ambient water quality standards, drinking water maximum contaminant levels, or degradation of water quality. Identify cumulative effects to water resources.

No significant impacts to local or regional water resources are anticipated.

6. AIR QUALITY:

What pollutants or particulate would be produced? Identify air quality regulations or zones (e.g. Class I air shed) the project would influence. Identify cumulative effects to air quality.

No significant impacts to air quality are anticipated.

7. VEGETATION COVER, QUANTITY AND QUALITY:

What changes would the action cause to vegetative communities? Consider rare plants or cover types that would be affected. Identify cumulative effects to vegetation.

All easements are located within the current road ROWs that are already dominated by introduced species such as smooth brome and crested wheatgrass. Since the method of installation is trenchless there will be very little soil disturbance allowing the introduced grasses to quickly revegetate. MTSGOT advises reclamation should re-establish native vegetation that resembles the desired ecological site and condition to benefit sage grouse. Furthermore, weed management is required within sage grouse general habitat and must include the control of invasive annual grasses

If re-seeding is necessary the proponent will acquire certified, weed free seed and refer to the Plant Materials Tech Note No. MT-46 (Rev. 4) dated September 2013 for seeding rates.

No rare plants or cover types are present. No significant impacts to vegetation are anticipated.

8. TERRESTRIAL, AVIAN AND AQUATIC LIFE AND HABITATS:

Consider substantial habitat values and use of the area by wildlife, birds or fish. Identify cumulative effects to fish and wildlife.

All construction associated with this project are planned in previously disturbed areas along road rights of way.

No significant impacts to terrestrial, avian, or aquatic habitats are anticipated.

9. UNIQUE, ENDANGERED, FRAGILE OR LIMITED ENVIRONMENTAL RESOURCES:

Consider any federally listed threatened or endangered species or habitat identified in the project area. Determine effects to wetlands. Consider Sensitive Species or Species of special concern. Identify cumulative effects to these species and their habitat.

All easement areas are adjacent to existing disturbances with frequent human use, as such the habitat is already modified. The most common impact for most species will be temporary displacement. To address the concerns of impacting sage grouse, the MTSGOT has recommended no activity be conducted between March 15th and July 15th when withing 2 miles of an active lek. Neither of these proposed projects are within 2 miles of an active lek.

See Appendix B for additional information on species of concern in the project area. No significant impacts to unique, endangered, fragile or limited environmental resources are anticipated.

10. HISTORICAL AND ARCHAEOLOGICAL SITES:

Identify and determine effects to historical, archaeological or paleontological resources.

A Class I (literature review) level review was conducted by the DNRC staff archaeologist for the area of potential effect (APE). This entailed inspection of project maps, DNRC's sites/site leads database, land use records, General Land Office Survey Plats, and control cards. The Class I search revealed that no cultural or paleontological resources have been identified in the APE, and most of the APE was inventoried to Class III standards in 2010.

Proposed telecommunications cable installation work is expected to have *No Effect to Antiquities*. No additional archaeological investigative work will be conducted in response to this proposed development. However, if previously unknown cultural or paleontological materials are identified during project related activities, all work will cease until a professional assessment of such resources can be made.

11. AESTHETICS:

Determine if the project is located on a prominent topographic feature, or may be visible from populated or scenic areas. What level of noise, light or visual change would be produced? Identify cumulative effects to aesthetics.

No significant impacts on the aesthetics of the area are anticipated.

12. DEMANDS ON ENVIRONMENTAL RESOURCES OF LAND, WATER, AIR OR ENERGY:

Determine the amount of limited resources the project would require. Identify other activities nearby that the project would affect. Identify cumulative effects to environmental resources.

No limited environmental resources will be significantly impacted because of this project. This project will also not add any significant cumulative demands on environmental resources.

13. OTHER ENVIRONMENTAL DOCUMENTS PERTINENT TO THE AREA:

List other studies, plans or projects on this tract. Determine cumulative impacts likely to occur as a result of current private, state or federal actions in the analysis area, and from future proposed state actions in the analysis area that are under MEPA review (scoped) or permitting review by any state agency.

There are no other projects or plans being considered on the tracts listed in this EA Checklist.

IV. IMPACTS ON THE HUMAN POPULATION

- *RESOURCES potentially impacted are listed on the form, followed by common issues that would be considered.*
- *Explain POTENTIAL IMPACTS AND MITIGATIONS following each resource heading.*
- *Enter "NONE" if no impacts are identified or the resource is not present.*

14. HUMAN HEALTH AND SAFETY:

Identify any health and safety risks posed by the project.

The main risk to human health and safety would be during the construction of the project. It would be the responsibility of the proponent to mitigate any risks during construction. After construction there will be some health and safety benefits provided by increased internet access. The better internet will allow residents of the area to have better access to telehealth and phone service for better communication with emergency services.

15. INDUSTRIAL, COMMERCIAL AND AGRICULTURE ACTIVITIES AND PRODUCTION:

Identify how the project would add to or alter these activities.

This project will not add to or deter from other industrial, agricultural, or commercial activities in the area.

16. QUANTITY AND DISTRIBUTION OF EMPLOYMENT:

Estimate the number of jobs the project would create, move or eliminate. Identify cumulative effects to the employment market.

The project will not create or eliminate any jobs, so no significant effects to the employment market are anticipated.

17. LOCAL AND STATE TAX BASE AND TAX REVENUES:

Estimate tax revenue the project would create or eliminate. Identify cumulative effects to taxes and revenue.

There are no direct or cumulative effects to taxes or revenue for the proposed project.

18. DEMAND FOR GOVERNMENT SERVICES:

Estimate increases in traffic and changes to traffic patterns. What changes would be needed to fire protection, police, schools, etc.? Identify cumulative effects of this and other projects on government services

There will not be any significant increases in traffic, school attendance, or need for fire and police protection if this project is approved.

19. LOCALLY ADOPTED ENVIRONMENTAL PLANS AND GOALS:

List State, County, City, USFS, BLM, Tribal, and other zoning or management plans, and identify how they would affect this project.

There are no zoning or other agency management plans affecting this project.

20. ACCESS TO AND QUALITY OF RECREATIONAL AND WILDERNESS ACTIVITIES:

Identify any wilderness or recreational areas nearby or access routes through this tract. Determine the effects of the project on recreational potential within the tract. Identify cumulative effects to recreational and wilderness activities.

There will be no significant direct or cumulative effects on access to or quality of recreation and wilderness activities because of this project.

21. DENSITY AND DISTRIBUTION OF POPULATION AND HOUSING:

Estimate population changes and additional housing the project will require. Identify cumulative effects to population and housing

The proposed project does not include any changes to housing or developments.

22. SOCIAL STRUCTURES AND MORES:

Identify potential disruption of native or traditional lifestyles or communities.

There are no native, unique or traditional lifestyles or communities in the vicinity that would be significantly impacted by the proposal.

23. CULTURAL UNIQUENESS AND DIVERSITY:

How would the action affect any unique quality of the area?

The proposed project will have no significant impact on any culturally unique quality of the area.

24. OTHER APPROPRIATE SOCIAL AND ECONOMIC CIRCUMSTANCES:

Estimate the return to the trust. Include appropriate economic analysis. Identify potential future uses for the analysis area other than existing management. Identify cumulative economic and social effects likely to occur as a result of the proposed action.

The proposed project will not have any significant cumulative economic or social effect.

V. FINDING

25. ALTERNATIVE SELECTED:

Alternative B (the Proposed Action) – Under this alternative, the Department grants TTCA, Inc. the requested Right of Way Easement across SE4SW4- Sec. 12, T06N R12E for the installation of buried fiber optic communication cable.

26. SIGNIFICANCE OF POTENTIAL IMPACTS:

I have evaluated the potential environment effects and have determined no significant impact to the environment because of this project.

27. NEED FOR FURTHER ENVIRONMENTAL ANALYSIS:

EIS

More Detailed EA


No Further Analysis

EA Checklist Prepared By:	Name: Cole Stumpf Title: Land Use Specialist
Signature: 	Date: 12 March 2026

EA Checklist Approved By:	Name: Josh Stoychoff Title: Unit Manager, Northeastern Land Office
Signature: 	Date: 3/12/26

Appendix A: Soil Data

SE4NE4 – Sec. 5, T29N R21E



Tables – Shallow Excavations – Summary By Map Unit

Summary by Map Unit – Blaine County and Part of Phillips County Area, Montana (MT608)						
Summary by Map Unit – Blaine County and Part of Phillips County Area, Montana (MT608)						
Map unit symbol	Map unit name	Rating	Component name (percent)	Rating reasons (numeric values)	Acres in AOI	Percent of AOI
Totals for Area of Interest					82.9	100.0%

Table – Shallow Excavations – Summary by Rating Value

Summary by Rating Value			
Rating	Acres in AOI	Percent of AOI	
Somewhat Limited	77.7	93.7%	
Very limited	5.2	6.3%	
Totals for Area of Interest	82.9	100.0%	

Description – Shallow Excavations

Tables – Soil Rutting Hazard – Summary By Map Unit

Summary by Map Unit – Blaine County and Part of Phillips County Area, Montana (MT608)						
Summary by Map Unit – Blaine County and Part of Phillips County Area, Montana (MT608)						
Map unit symbol	Map unit name	Rating	Component name (percent)	Rating reasons (numeric values)	Acres in AOI	Percent of AOI
Totals for Area of Interest					82.9	100.0%

Table – Soil Rutting Hazard – Summary by Rating Value

Summary by Rating Value			
Rating	Acres in AOI	Percent of AOI	
Severe	82.9	100.0%	
Totals for Area of Interest	82.9	100.0%	

Description – Soil Rutting Hazard

FOR - Forestry

The ratings in this interpretation indicate the hazard of surface rut formation through the operation of forestland equipment. Soil displacement and puddling (soil deformation and compaction) may occur simultaneously with rutting.

Ratings are based on depth to a water table, rock fragments on or below the surface, the Unified classification of the soil, depth to a restrictive layer, and slope. The hazard is described as slight, moderate, or severe. A rating of "slight" indicates that the soil is subject to little or no rutting. "Moderate" indicates that rutting is likely. "Severe" indicates that ruts form readily.

Numerical ratings indicate the severity of individual limitations. The ratings are shown as decimal fractions ranging from 0.01 to 1.00. They indicate gradations between the point at which a soil feature has the greatest negative impact on the specified aspect of forestland management (1.00) and the point at which the soil feature is not a limitation (0.00).

The map unit components listed for each map unit in the accompanying Summary by Map Unit table in Web Soil Survey or the Aggregation Report in Soil Data Viewer are determined by the aggregation method chosen. An aggregated rating class is shown for each map unit. The components listed for each map unit are only those that have the same rating class as listed for the map unit. The percent composition of each component in a particular map unit is presented to help the user better understand the percentage of each map unit that has the rating presented.

Other components with different ratings may be present in each map unit. The ratings for all components, regardless of the map unit aggregated rating, can be viewed by generating the equivalent report from the Soil Reports tab in Web Soil Survey or from the Soil Data Mart site. Onsite investigation may be needed to validate these interpretations and to confirm the identity of the soil on a given site.

Summary by Rating Value			
Rating	Acres in AOI	Percent of AOI	
Slight	82.9	100.0%	
Totals for Area of Interest	82.9	100.0%	

Description – Erosion Hazard (Off-Road, Off-Trail)

The ratings in this Interpretation indicate the hazard of soil loss from off-road and off-trail areas after disturbance activities that expose the soil surface. The ratings are based on slope, soil erosion factor K, and an index of rainfall erosivity (R). The soil loss is caused by sheet or rill erosion in off-road or off-trail areas where 50 to 75 percent of the surface has been exposed by logging, grazing, mining, or other kinds of disturbance.

The ratings are both verbal and numerical. The hazard is described as "slight," "moderate," "severe," or "very severe." A rating of "slight" indicates that erosion is unlikely under ordinary climatic conditions; "moderate" indicates that some erosion is likely and that erosion-control measures may be needed; "severe" indicates that erosion is very likely and that erosion-control measures, including revegetation of bare areas, are advised; and "very severe" indicates that significant erosion is expected, loss of soil productivity and off-site damage are likely, and erosion-control measures are costly and generally impractical.

Numerical ratings indicate the severity of individual limitations. The ratings are shown as decimal fractions ranging from 0.01 to 1.00. They indicate gradations between the point at which a soil feature has the greatest negative impact on the specified aspect of forestland management (1.00) and the point at which the soil feature is not a limitation (0.00).


The map unit components listed for each map unit in the accompanying Summary by Map Unit table in Web Soil Survey or the Aggregation Report in Soil Data Viewer are determined by the aggregation method chosen. An aggregated rating class is shown for each map unit. The components listed for each map unit are only those that have the same rating class as listed for the map unit. The percent composition of each component in a particular map unit is presented to help the user better understand the percentage of each map unit that has the rating presented.

Other components with different ratings may be present in each map unit. The ratings for all components, regardless of the map unit aggregated rating, can be viewed by generating the equivalent report from the Soil Reports tab in Web Soil Survey or from the Soil Data Mart site. Onsite investigation may be needed to validate these interpretations and to confirm the identity of the soil on a given site.

Rating Options – Erosion Hazard (Off-Road, Off-Trail)

Aggregation Method: Dominant Condition
Component Percent Cutoff: None Specified
Tie-break Rule: Higher

N2SE4, SE4SE4 – Sec. 20, T27N R19E



Summary by Rating Value			
Rating	Acres in AOI	Percent of AOI	
Somewhat limited	78.4	70.9%	
Very limited	32.2	29.1%	
Totals for Area of Interest	110.6	100.0%	

Description – Shallow Excavations

ENG - Engineering

Shallow excavations are trenches or holes dug to a maximum depth of 5 or 6 feet for graves, utility lines, open ditches, or other purposes. The ratings are based on the soil properties that influence the ease of digging and the resistance to sloughing. Depth to bedrock or a cemented pan, hardness of bedrock or a cemented pan, the amount of large stones, and dense layers influence the ease of digging, filling, and compacting. Depth to the seasonal high water table, flooding, and ponding may restrict the period when excavations can be made. Slope influences the ease of using machinery. Soil texture, depth to the water table, and linear extensibility (shrink-swell potential) influence the resistance to sloughing.

Tables - Soil Rutting Hazard - Summary by Map Unit

Summary by Map Unit - Blaine County and Part of Phillips County Area, Montana (MT608)

Summary by Map Unit - Blaine County and Part of Phillips County Area, Montana (MT608)

Map unit symbol	Map unit name	Rating	Component name (percent)	Rating reasons (numeric values)	Acres in AOI	Percent of AOI
Totals for Area of Interest					110.6	100.0%

Table - Soil Rutting Hazard - Summary by Rating Value

Summary by Rating Value

Rating	Acres in AOI	Percent of AOI
Severe	110.6	100.0%
Totals for Area of Interest	110.6	100.0%

Description - Soil Rutting Hazard

FOR - Forestry

The ratings in this Interpretation indicate the hazard of surface rut formation through the operation of forestland equipment. Soil displacement and puddling (soil deformation and compaction) may occur simultaneously with rutting.

Ratings are based on depth to a water table, rock fragments on or below the surface, the Unified classification of the soil, depth to a restrictive layer, and slope. The hazard is described as slight, moderate, or severe. A rating of "slight" indicates that the soil is subject to little or no rutting. "Moderate" indicates that rutting is likely. "Severe" indicates that ruts form readily.

Numerical ratings indicate the severity of individual limitations. The ratings are shown as decimal fractions ranging from 0.01 to 1.00. They indicate gradations between the point at which a soil feature has the greatest negative impact on the specified aspect of forestland management (1.00) and the point at which the soil feature is not a limitation (0.00).

The map unit components listed for each map unit in the accompanying Summary by Map Unit table in Web Soil Survey or the Aggregation Report in Soil Data Viewer are determined by the aggregation method chosen. An aggregated rating class is shown for each map unit. The components listed for each map unit are only those that have the same rating class as listed for the map unit. The percent composition of each component in a particular map unit is presented to help the user better understand the percentage of each map unit that has the rating presented.

Other components with different ratings may be present in each map unit. The ratings for all components, regardless of the map unit aggregated rating, can be viewed by generating the equivalent report from the Soil Reports tab in Web Soil Survey or from the Soil Data Mart site. Onsite investigation may be needed to validate these interpretations and to confirm the identity of the soil on a given site.

Rating Options - Soil Rutting Hazard

Aggregation Method: Dominant Condition

Component Percent Cutoff: None Specified

Tie-break Rule: Higher

Tables - Erosion Hazard (Off-Road, Off-Trail) - Summary by Map Unit

Table - Erosion Hazard (Off-Road, Off-Trail) - Summary by Rating Value

Summary by Rating Value

Rating	Acres in AOI	Percent of AOI
Slight	78.4	70.9%
Moderate	32.2	29.1%
Totals for Area of Interest	110.6	100.0%

Description - Erosion Hazard (Off-Road, Off-Trail)

The ratings in this interpretation indicate the hazard of soil loss from off-road and off-trail areas after disturbance activities that expose the soil surface. The ratings are based on slope, soil erosion factor K, and an index of rainfall erosivity (R). The soil loss is caused by sheet or rill erosion in off-road or off-trail areas where 50 to 75 percent of the surface has been exposed by logging, grazing, mining, or other kinds of disturbance.

The ratings are both verbal and numerical. The hazard is described as "slight," "moderate," "severe," or "very severe." A rating of "slight" indicates that erosion is unlikely under ordinary climatic conditions; "moderate" indicates that some erosion is likely and that erosion-control measures may be needed; "severe" indicates that erosion is very likely and that erosion-control measures, including revegetation of bare areas, are advised; and "very severe" indicates that significant erosion is expected, loss of soil productivity and off-site damage are likely, and erosion-control measures are costly and generally impractical.

Numerical ratings indicate the severity of individual limitations. The ratings are shown as decimal fractions ranging from 0.01 to 1.00. They indicate gradations between the point at which a soil feature has the greatest negative impact on the specified aspect of forestland management (1.00) and the point at which the soil feature is not a limitation (0.00).

The map unit components listed for each map unit in the accompanying Summary by Map Unit table in Web Soil Survey or the Aggregation Report in Soil Data Viewer are determined by the aggregation method chosen. An aggregated rating class is shown for each map unit. The components listed for each map unit are only those that have the same rating class as listed for the map unit. The percent composition of each component in a particular map unit is presented to help the user better understand the percentage of each map unit that has the rating presented.

Other components with different ratings may be present in each map unit. The ratings for all components, regardless of the map unit aggregated rating, can be viewed by generating the equivalent report from the Soil Reports tab in Web Soil Survey or from the Soil Data Mart site. Onsite investigation may be needed to validate these interpretations and to confirm the identity of the soil on a given site.

Rating Options - Erosion Hazard (Off-Road, Off-Trail)

Aggregation Method: Dominant Condition

Component Percent Cutoff: None Specified

Tie-break Rule: Higher

Appendix B: Species of Concern


SE4NE4 – Sec. 5, T29N R21E

Native Species

Summarized by: T29N R21E Sec. 5 (Custom Area of Interest)

Filtered by:

Native Species reports are filtered for Species with MT Status = Species of Concern, Special Status, Important Animal Habitat, Potential SOC



Species Occurrences


Species	USFWS	Sec 7	# SO	Obs	Predicted	Model	Range
F - Northern Redbelly Dace (<i>Chrosomus eos</i>) SOC			11				<input checked="" type="checkbox"/>
View in Field Guide View Predicted Models View Range Maps Species of Concern - Native Species Global: G5 State: S2 FWP SWAP: SGCN Delineation Criteria: Stream reaches and standing water bodies where the species presence has been confirmed through direct capture or where they are believed to be present based on the professional judgement of a fisheries biologist due to confirmed presence in adjacent areas. In order to reflect the importance of adjacent terrestrial habitats to survival, stream reaches are buffered 100 meters, standing water bodies greater than 1 acre are buffered 50 meters, and standing water bodies less than 1 acre are buffered 30 meters into the terrestrial habitat based on PACFISH/INFISH Riparian Conservation Area standards. (Last Updated: Feb 18, 2025) Predicted Models: <input checked="" type="checkbox"/> 100% Suitable (native range) (deductive)							
B - Baird's Sparrow (<i>Centronyx bairdii</i>) SOC			11	11			<input checked="" type="checkbox"/>
View in Field Guide View Predicted Models View Range Maps Species of Concern - Native Species Global: G4 State: S3B USFWS: MBTA; BCC11; BCC17 BLM: SENSITIVE FWP SWAP: SGCN PIF: 1 Delineation Criteria: Confirmed breeding area based on the presence of a nest, chicks, or territorial adults during the breeding season. Point observation location is buffered by a minimum distance of 100 meters in order to encompass the average breeding territory size of the species and otherwise is buffered by the locational uncertainty associated with the observation up to a maximum distance of 5,000 meters. (Last Updated: Feb 17, 2026) Predicted Models: <input checked="" type="checkbox"/> 100% Moderate (inductive)							
E - Chestnut-collared Longspur (<i>Calcarius ornatus</i>) SOC			11	11			<input checked="" type="checkbox"/>
View in Field Guide View Predicted Models View Range Maps Species of Concern - Native Species Global: G5 State: S2B USFWS: MBTA; BCC11; BCC17 BLM: SENSITIVE FWP SWAP: SGCN PIF: 2 Delineation Criteria: Confirmed breeding area based on the presence of a nest, chicks, or territorial adults during the breeding season. Point observation location is buffered by a minimum distance of 113 meters in order to encompass the maximum breeding territory size reported for the species and otherwise is buffered by the locational uncertainty associated with the observation up to a maximum distance of 5,000 meters. (Last Updated: Feb 17, 2026) Predicted Models: <input checked="" type="checkbox"/> 50% Moderate (inductive), <input checked="" type="checkbox"/> 50% Low (inductive)							
B - Brewer's Sparrow (<i>Spizella breweri</i>) SOC			1				<input checked="" type="checkbox"/>
View in Field Guide View Predicted Models View Range Maps Species of Concern - Native Species Global: G5 State: S3B USFWS: MBTA BLM: SENSITIVE FWP SWAP: SGCN PIF: 2 Delineation Criteria: Confirmed breeding area based on the presence of a nest, chicks, or territorial adults during the breeding season. Point observation location is buffered by a minimum distance of 100 meters in order to encompass the maximum territory size reported for the species and otherwise is buffered by the locational uncertainty associated with the observation up to a maximum distance of 5,000 meters. (Last Updated: Feb 10, 2026) Predicted Models: <input checked="" type="checkbox"/> 100% Low (inductive)							
F - Iowa Darter (<i>Etheostoma exile</i>) SOC			1				<input checked="" type="checkbox"/>
View in Field Guide View Range Maps Species of Concern - Native Species Global: G5 State: S3 BLM: SENSITIVE FWP SWAP: SGCN Delineation Criteria: Stream reaches and standing water bodies where the species presence has been confirmed through direct capture or where they are believed to be present based on the professional judgement of a fisheries biologist due to confirmed presence in adjacent areas. In order to reflect the importance of adjacent terrestrial habitats to survival, stream reaches are buffered 100 meters, standing water bodies greater than 1 acre are buffered 50 meters, and standing water bodies less than 1 acre are buffered 30 meters into the terrestrial habitat based on PACFISH/INFISH Riparian Conservation Area standards. (Last Updated: Mar 15, 2024)							

Native Species

Summarized by: T27N R19E Sec. 20 (Custom Area of Interest)

Filtered by:

Native Species reports are filtered for Species with MT Status = Species of Concern, Special Status, Important Animal Habitat, Potential SOC



Species Occurrences

Species	USFWS Sec7	# SO	# Obs	Predicted Model	Range
F - Northern Redbelly Dace (<i>Chrosomus eos</i>) SOC					<input checked="" type="checkbox"/>
View in Field Guide View Predicted Models View Range Maps Species of Concern - Native Species Global: G5 State: S2 FWP SWAP: SGCN Delineation Criteria Stream reaches and standing water bodies where the species presence has been confirmed through direct capture or where they are believed to be present based on the professional judgement of a fisheries biologist due to confirmed presence in adjacent areas. In order to reflect the importance of adjacent terrestrial habitats to survival, stream reaches are buffered 100 meters, standing water bodies greater than 1 acre are buffered 50 meters, and standing water bodies less than 1 acre are buffered 30 meters into the terrestrial habitat based on PACFISH/INFISH Riparian Conservation Area standards. (Last Updated: Feb 10, 2026) Predicted Models: 33% Suitable (native range) (deductive)					
B - Ferruginous Hawk (<i>Buteo regalis</i>) SOC		1			<input type="checkbox"/>
View in Field Guide View Predicted Models View Range Maps Species of Concern - Native Species Global: G4 State: S3B USFWS: MBTA; BCC17 BLM: SENSITIVE FWP SWAP: SGCN PIF: 2 Delineation Criteria Confirmed nesting area buffered by a minimum distance of 2,000 meters in order to encompass the average home range size reported for the species and otherwise buffered by the locational uncertainty associated with the observation up to a maximum distance of 5,000 meters. (Last Updated: Feb 10, 2026) Predicted Models: 100% Low (inductive)					

B - Greater Sage-Grouse (<i>Centrocercus urophasianus</i>) SOC		8	3		<input checked="" type="checkbox"/>
View in Field Guide View Predicted Models View Range Maps USFS: Sensitive - Known in Forests (BD) Species of Concern - Native Species Global: G3 State: S2 Species of Conservation Concern in Forests (CG) BLM: SENSITIVE FWP SWAP: SGCN PIF: 1 Delineation Criteria Confirmed breeding area based on the presence of a nest, chicks, juveniles, or adults on a lek. Point observations are mapped in the center of a one-square mile hexagon to protect the exact locations of leks. The outer edges of this hexagon are then buffered by a distance of 6,400 meters in order to encompass a body of research indicating that females typically nest within this distance of a lek and that lek numbers are negatively impacted by fossil fuel drilling activities within this distance of a lek. If the locational uncertainty associated with the observation is greater than 5,000 meters, the observation is not valid for creation of a species occurrence. All of the one-square mile hexagons intersecting this buffered area are presented as the Species Occurrence record. (Last Updated: Feb 10, 2026) Predicted Models: 67% Low (inductive)					

Native Species

Cultable (introduced range)

Non-native
 Historical

C. Zone 1
 C. Zone 2
 C. Zone 3
 C. Zone 4
 C. Zone 5
 C. Zone 6
 C. Zone 7
 C. Zone 8
 C. Zone 9
 C. Zone 10
 C. Zone 11
 C. Zone 12
 C. Zone 13
 C. Zone 14
 C. Zone 15
 C. Zone 16
 C. Zone 17
 C. Zone 18
 C. Zone 19
 C. Zone 20
 C. Zone 21
 C. Zone 22
 C. Zone 23
 C. Zone 24
 C. Zone 25
 C. Zone 26
 C. Zone 27
 C. Zone 28
 C. Zone 29
 C. Zone 30
 C. Zone 31
 C. Zone 32
 C. Zone 33
 C. Zone 34
 C. Zone 35
 C. Zone 36
 C. Zone 37
 C. Zone 38
 C. Zone 39
 C. Zone 40
 C. Zone 41
 C. Zone 42
 C. Zone 43
 C. Zone 44
 C. Zone 45
 C. Zone 46
 C. Zone 47
 C. Zone 48
 C. Zone 49
 C. Zone 50
 C. Zone 51
 C. Zone 52
 C. Zone 53
 C. Zone 54
 C. Zone 55
 C. Zone 56
 C. Zone 57
 C. Zone 58
 C. Zone 59
 C. Zone 60
 C. Zone 61
 C. Zone 62
 C. Zone 63
 C. Zone 64
 C. Zone 65
 C. Zone 66
 C. Zone 67
 C. Zone 68
 C. Zone 69
 C. Zone 70
 C. Zone 71
 C. Zone 72
 C. Zone 73
 C. Zone 74
 C. Zone 75
 C. Zone 76
 C. Zone 77
 C. Zone 78
 C. Zone 79
 C. Zone 80
 C. Zone 81
 C. Zone 82
 C. Zone 83
 C. Zone 84
 C. Zone 85
 C. Zone 86
 C. Zone 87
 C. Zone 88
 C. Zone 89
 C. Zone 90
 C. Zone 91
 C. Zone 92
 C. Zone 93
 C. Zone 94
 C. Zone 95
 C. Zone 96
 C. Zone 97
 C. Zone 98
 C. Zone 99
 C. Zone 100

Summarized by: T27N R19E Sec. 20 (Custom Area of Interest)

Filtered by:

Native Species reports are filtered for Species with MT Status = Species of Concern, Special Status, Important Animal Habitat, Potential SOC

Other Observed Species

	USFWS Sec7	# Obs	Predicted Model	Range
B - Golden Eagle (<i>Aquila chrysaetos</i>) SOC		2		
View in Field Guide View Predicted Models View Range Maps Species of Concern - Native Species Global: G5 State: S3 USFWS: BGEPA; MBTA BLM: SENSITIVE FWP SWAP: SGCN Predicted Models: 67% Moderate (inductive), 33% Low (inductive)				
B - Bald Eagle (<i>Haliaeetus leucocephalus</i>) SSS		1		
View in Field Guide View Predicted Models View Range Maps Special Status Species - Native Species Global: G5 State: S4 USFWS: BGEPA; MBTA USFS: Sensitive - Known in Forests (LOLO) BLM: SENSITIVE PIF: 2 Predicted Models: 33% Moderate (inductive), 67% Low (inductive)				

Appendix C: Project Location Maps

EXHIBIT "A"
UNDERGROUND FIBER OPTICS EASEMENT ACROSS STATE LANDS LOCATED IN SECTION
5, TOWNSHIP 29 NORTH, RANGE 21 EAST, P.M.M. BLAINE COUNTY, MONTANA



BASIS OF BEARINGS
MONTANA STATE PLANE COORDINATE
SYSTEM, ZONE 2500, NAD83(2011),
INTERNATIONAL FEET.
COMBINED SCALE FACTOR: 0.99949068
DISTANCES SHOWN ARE GRID

VICINITY MAP




EXHIBIT "A"
UNDERGROUND FIBER OPTICS EASEMENT ACROSS STATE LANDS LOCATED IN SECTION
20, TOWNSHIP 27 NORTH, RANGE 19 EAST, P.M.M. BLAINE COUNTY, MONTANA



BASIS OF BEARINGS
MONTANA STATE PLANE COORDINATE
SYSTEM, ZONE 2500, NAD83(2011),
INTERNATIONAL FEET.
COMBINED SCALE FACTOR: 0.99939430
DISTANCES SHOWN ARE GRID

VICINITY MAP

