NOTICE OF RECEIPT WATER RIGHT APPLICATION

(Pursuant to Section § 85-2-307(1), MCA)

Summarized below are the application details as described in an Application for a Provisional Permit received by the Department of Natural Resources & Conservation on MARCH 26, 2021. This notice reflects the application details only as originally submitted. The notice does not reflect changes to the application details made during the review process.

Application Number: 76H 30150412

Owners: PEAK HEALTH MANAGEMENT COMPANY LLC

3565 PATTEE CANYON RD MISSOULA, MT 59803 1826

Priority Date: MARCH 26, 2021 at 12:49 P.M.

Purpose (Use): COMMERCIAL Maximum Volume: 19.86 AC-FT

Source Name: GROUNDWATER

Source Type: GROUNDWATER

Point of Diversion and Means of Diversion:

IDGovt LotQtrSecSecTwpRgeCounty1NWNWSE212N20WMISSOULA

Period of Diversion: JANUARY 1 TO DECEMBER 31

Diversion Means: WELL

Well Depth: 120.00 FEET

2 SWNWSE 2 12N 20W MISSOULA

Period of Diversion: JANUARY 1 TO DECEMBER 31

Diversion Means: WELL

Well Depth: 118.50 FEET
Purpose (Use): COMMERCIAL

Volume: 19.86 AC-FT

Period of Use: JANUARY 1 to DECEMBER 31

Place of Use:

IDAcresGovt LotQtrSecSecTwpRgeCounty1NESW212N20WMISSOULA

IF ISSUED, THE RIGHT WILL BE SUBJECT TO PRIOR EXISTING WATER RIGHTS.

In general, the department will make a preliminary determination to grant or deny this application within 120 days of the date the application is deemed correct and complete. That date is currently unknown. If the preliminary determination is to grant the application, the application will be published in the local newspaper and a notice will be sent to appropriators who, according to the department records may be affected by the proposed appropriation. Individuals will have 45 days to submit an objection under § 85-2-308, MCA, after the application has been published in the newspaper.

Direct questions regarding this application to the Water Resources Regional Office, 2705 SPURGIN RD, BLDG C, PO BOX 5004, MISSOULA, MT 59804-5004 PHONE: 406-721-4284 FAX: 406-542-5899.